



PubMed

Nucleotide

Protein

Genome

Structure

PopSet

Taxonomy

OMIM

Search for 

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

PubMed Services

Journal Browser

MeSH Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

 Display  Abstract  Sort  Save  Text  Clip Add  Order

1: J Mol Biol 1998 Dec 11;284(4):1141-

51

Related Articles, **Books**

LinkOut



### The fibronectin type III domain as a scaffold for novel binding proteins.

**Koide A, Bailey CW, Huang X, Koide S.**

Department of Biochemistry and Biophysics, University of Rochester Medical Center, Rochester, NY, 14642, USA.

The fibronectin type III domain (FN3) is a small autonomous folding unit which occurs in many animal proteins involving in ligand binding. The beta-sandwich structure of FN3 closely resembles that of immunoglobulin domains. We have prepared a phage display library of FN3 in which residues in two surface loops were randomized. We have selected mutant FN3s which bind to a test ligand, ubiquitin, with significant affinities, while the wild-type FN3 shows no measurable affinity. A dominant clone was expressed as a soluble protein and its properties were investigated in detail. Heteronuclear NMR characterization revealed that the selected mutant protein retains the global fold of FN3. It also has a modest conformational stability despite mutations at 12 out of 94 residues. These results clearly show the potential of FN3 as a scaffold for engineering novel binding proteins. Copyright 1998 Academic Press.

PMID: 9837732 [PubMed - indexed for MEDLINE]

 Display  Abstract  Sort  Save  Text  Clip Add  Order

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)